Embracing a New Paradigm: Electronic Work Instructions (EWI)

Jeffrey Rupert & Travis Loving ScanCAD International, Inc. Littleton, Colorado

Abstract:

While there have been quite dramatic and evident improvements in almost every facet of manufacturing over the last several decades owing to the advent and mass adoption of computer automation and networking, there is one aspect of production that remains stubbornly unaffected. Massive databases track everything from orders, to inventory, to personnel. CAD systems allow for interactive and dynamic 3D rendering and testing, digital troubleshooting, and simulation and analysis prior to mass production. Yet, with all of this computational power and all of this networking capability, one element of production has remained thoroughly and firmly planted in the past. Nearly all manufacturing or assembly procedures are created, deployed, and stored using methodologies derived from a set of assumptions that ceased to be relevant fifty years ago. This set of assumptions, referred to below as the "Paper Paradigm" has been, and continues as the dominant paradigm for manufacturing procedures to this day. It is time for a new paradigm, one that accounts for the vastly different technological landscape of this era, one that provides a simple, efficient interface, deep traceability, and dynamic response to rapidly changing economic forces.

There are of course, numerous different systems available to streamline the creation, deployment, and storage of 'paperless' work instructions but it is very important to understand that the simple absence of tactile paper, does not mean that a system has transcended the limitations of paper. Most procedures today are created using standard word processing tools, managed using file management systems and deployed using various different flavors of PDF. While the tools are slightly different than those available in decades' past, there is no fundamental revolution in process and capability. A word processor is nothing more than a simple, logical extension of a typewriter. A file management system is nothing more than a virtual version of a folder overseen by a manager, and a PDF has the effect of turning a computer screen into nothing more than a sheet of paper. Regardless of the tool used for creation, regardless of the system used to manage files, and regardless of the mechanism of deployment, nearly all manufacturing instruction systems in place today conform to the same fundamental assertions as systems in place over one hundred years ago.

The Paper Paradigm:

- 1. Procedures must be deployed to operators in a paper or paper analogue format.
- 2. Procedures can only provide a one-way flow of information from the document to the operator.
- 3. Procedures cannot react to changing circumstances.
- 4. Procedures cannot be interactive.
- 5. Procedure revision must be manually controlled.

This paper seeks to present an alternative. Instead of enhancing and improving on systems that became irrelevant with the invention of a database, instead of propping up an outdated, outmoded and inefficient system with incremental improvements; rewrite the paradigm. Change the underlying assertions to more accurately reflect our current technological capability. Instead of relying on evolutionary improvements, it is time for a revolution in manufacturing instructions.

It is time to embrace a new paradigm.

Introduction:

While there are quite dramatic and evident improvements in almost every facet of manufacturing over the last several decades owing to the advent and mass adoption of computer automation and networking, there is one facet of production that remains stubbornly unaffected. Massive databases track everything from orders, to inventory, to personnel. CAD systems allow for interactive and dynamic 3D rendering and testing, digital troubleshooting, and simulation and analysis prior to mass production. Yet, with all of this computational power and all of this networking capability, one element of production has remained thoroughly and firmly planted in the past. Nearly all manufacturing or assembly procedures are created, deployed, and stored using methodologies derived from a set of assumptions that ceased to be relevant fifty years ago. This set of assumptions, referred to below as the "Paper Paradigm" has been, and continues as the dominant paradigm for manufacturing procedures to this day. It is time for a new paradigm, one that accounts for the vastly different technological landscape of this era, one that provides for a simple, efficient interface, deep traceability, and dynamic response to rapidly changing economic forces.



Figure 1 – Manufacturing 100 Years Ago vs. Now

Photo by Marcin Wichary

In the majority of manufacturing facilities today, work instructions are created using standard office tools such as word processors, spreadsheets or presentation software and then deployed to operators on the floor as a paper document or perhaps as a paper analogue, such as a PDF file or image file that is then displayed on a screen. In other facilities, perhaps these PDF or image files are created by an MRP/ERP system or by CAD software, but the fact remains that these files, even if displayed on a monitor or even displayed on a tablet, are still virtually no different than a piece of paper. Even if these files are supported by sophisticated database systems that manage the files and determine when and where the PDF file should be displayed, the fact remains that nearly all production today is supported by paper or a computer screen acting like a piece of paper. Virtually identical to production of 100+ years ago.

The paper paradigm has been the dominant mechanism for managing production for decades, and since its initial inception, there have been nothing but minor, incremental improvements regardless of the tremendous technological revolution that has taken place over the course of the last few decades. Paper work instruction deployment initially started with handwritten instructions, then printing presses, typewriters and mimeograph machines... and has since evolved to incorporate the development of computers in the late 20th century using word processing and spreadsheet software as a replacement for manual work instruction generation. Since the advent and expansion of sophisticated networking, it has further evolved to incorporate networking and shared file storage technology to simplify storage. These incremental developments have helped simplify the creation and storage of paper work instructions to some extent, but they have failed to understand and leverage the full promise of our new technological capability. The basic challenges of building quality products with a changing workforce remain unsolved since the majority of operations in place, at their core, still maintain the following fundamental assertions of the Paper Paradigm:

- Procedures must be deployed to operators in a paper or paper analogue format.
- Procedures can only provide a one-way flow of information from the document to the operator.
- Procedures cannot react to changing circumstances.
- Procedures cannot be interactive.
- Procedure revision must be manually controlled.

The overt reliance on this paradigm and reluctance to adapt or to create a new one has led to the creation of many systems built solely to support outdated methodologies including document control systems, database systems designed to display PDF and Graphic work instructions, separate systems to track different elements of the process, etc. This gets even more difficult while trying to use the paper paradigm and also maintain ISO, AS or other certifications.

The new Electronic Work Instruction (EWI) paradigm is not an extension of this old, outmoded paper paradigm, it is a revolution incorporating a brand new way of supporting manufacturing and assembly processes. EWI is an entirely new paradigm, with entirely new assumptions based on the vast computing and networking capabilities available in the 21st century.

The new EWI Paradigm:

- 1. Procedures are an extension of the work that is being done. They are living, evolving elements that become a virtual representation of the procedure being completed.
- 2. Procedures support a two-way flow of information. Information is captured for complete traceability
- 3. Procedures are dynamic. They filter and display relevant information in a relevant language to the operator and dynamically change when necessary based on the needs of the operator. Procedures should react to changing circumstances.
- 4. Procedures are interactive and engaging.
- 5. Procedure maintenance and versioning can be automated so Process Engineers can focus on their processes and not maintaining them.

EWI's are not an evolution of Paper, but a revolution in the manufacturing process. There are only a few companies that have taken this step to EWI's, but the vast majority of manufacturing facilities globally are still stuck in the paper paradigm. This paper will explore the many advantages of moving to EWI's to help keep your business competitive in today's rapidly changing global marketplace.

Ewi's Are More Than Just an Extension of Paper:

Paper work instructions or paper analogue work instructions are limited to the types of media that can be displayed on paper. For example, with paper, you can display lists of text based instructions, photographs, tables of data, etc. These types of instructions can be effective for a trained, experienced operator who has gone through the procedures before, but it is difficult if not impossible create a paper document that works for both inexperienced and expert operators. If enough detail is put into the process for the inexperienced operator, it will surely slow down the advanced operator who does not need that level of granularity. And finally, how well will this procedure work for the non-English speaking operators when the instruction is written in English? These are some of the challenges that have existed for engineers and technical writers that have been creating work instructions in the paper paradigm.

With the new EWI paradigm, it is possible to take new operators right off the street and have them successfully building products right from the start simply by following the procedures in the EWI. These procedures are no longer limited to paper type displays. For example, steps in the EWI can include a variety of media such as videos. The new operator can view an actual video of the step and can pause, replay when necessary to see exactly what to do. There can also be photos... but unlike paper, the photos can be zoomed in when necessary to see details that may not be apparent in the original display. There can be many photos, taken from many angles. The limitations of physical space on paper have been eliminated.

EWI's can also display and even edit supporting documents such as CAD files, Word or Excel documents and many more. Virtually any type of file that can be opened on a PC can be opened within an EWI. So, if an operator needs to view or modify a CAD file, this can be done in the EWI and they have all the capability that is available in the CAD viewer such as zooming in, rotating, exploding, etc. Try doing this with a paper work instruction!



Figure 2 – EWI in Action

BOM/BOT information is also available in the EWI along with descriptions of the parts, photos, etc. This information can be kept up to date by interfacing with the ERP/MRP system to ensure that the very latest BOM/BOT data is being used. If a change is made to the ERP/MRP system, it can automatically flow to the EWI software.



Figure 3 – EWI Information Portal

All of this capability opens up new opportunities not available with the paper paradigm. There is a company that builds expensive, complex electrical tester systems that made the transition from paper work instructions to EWI's several years ago in part as preparation for transitioning a portion of the manufacturing from North America to Asia. There were numerus benefits that were realized by this transition to EWI, but we will just mention a couple of these benefits for now.

1. When production was moved to Asia, the training of the new operators was done strictly by EWI's. The new operators could sit in front of the workstation and step through the EWI and successfully build the product without any other assistance. These complex products were built to the same level of quality and in the same amount of time as they were being built by the experienced operators in North America previously. This could be done because of the detailed instructions, embedded videos, photos and supporting documents in the EWI's. Of course to be effective, the instructions also needed to be displayed in the native language of the Asian workers. EWI's can be set up so that they are displayed in the preferred language of the operator. An operator need only log in and their system and EWI's will dynamically adjust to their home language. The same EWI can be available in many languages and changed as needed.

2. For this same company, a certain tester model phased out of production and was replaced with a newer model. Years later, a customer with this older model was expanding their capability and wanted to purchase this tester that was no longer being built. The manufacturer no longer had any operators that had ever built, or even seen this machine! Fortunately, there were EWI's available to build this older tester. New workers were used to build a complex tester that they had never seen and it was built to the same quality level and in the same amount of time as it was built when it was in standard production years before.

Ewi's Provide Two Way Communication:

Paper work instructions or paper analogue work instructions provide a one-way flow of information. Instructions are provided for operators on the manufacturing floor to help assist them with assembling a product. However, they do not allow for communication to come back from the floor to the engineers and managers who need this information to make process improvements, product enhancements, and business decisions. Furthermore, they do not allow for the detailed traceability needed for regulatory compliance and oversight.

EWI's can provide an interactive real time communication tool for the manufacturing floor. Now information from the floor can seamlessly flow back to the people in the offices at other locations who need this information to make decisions and help improve manufacturing processes. For example, with EWI's there can be a mechanism in place for operators to provide feedback to the EWI author when there is a confusing step in a procedure. This is can now be quickly documented and assigned to the EWI author to make a change to the step so that it is more understandable. Quality issues can arise when a step is not clear and subject to interpretation so this capability can help with product quality.

With EWI's, email or text can be sent automatically to predefined people upon certain trigger events. When a step fails, an email can be sent to an engineer or technician to come to the floor and see the issue. This can minimize line downtime and

help solve problems in a more efficient manner. Email notifications can also be triggered upon the passage of a certain step. For example, an email can be sent to the Shipping and Receiving Department when a certain step passes to let them know that the assembly is almost complete which gives them advance notice to get their processes started. The same communication can be utilized across company boundaries, including subcontractors & suppliers, providing advance notice of events of interest. The technology is all about improving the overall process.

Another great feature that can be implemented with EWI is interactive troubleshooting support. Now software can help get an operator back on track when there is a problem on the floor. With traditional paper based work instructions, an operator needs to find a more experienced operator or engineer when there is a problem they cannot figure out. Companies running several shifts may not have these experienced operators available at all times so production is impacted. With EWI's, the knowledge can be built into the software. When there is a failure, the software can automatically go into a troubleshooting mode that provides a list of potential problems with solutions to these problems. Even more powerful is the fact that this troubleshooting database can be expanded upon by experienced operators and technicians. These systems can be set up to be self-learning... when a new problem is resolved, the system can ask for details of the fix, thereby passing valuable information back to engineering for inclusion in future troubleshooting iterations. Most facilities have experienced people who know how to get around certain problems that occur, but this "tribal knowledge" is not documented anywhere. Now this information can be captured by the software so others can benefit from it and there is no danger of losing this information when experienced personnel retire or leave the company. In the new paradigm, EWI learn from problems in such a way as to neutralize them in the future.

The troubleshooting information is all captured in the EWI, so now it is known exactly what errors are occurring and how often. No more work arounds occurring that engineers do not even know about. For problems that are occurring frequently, corrective actions can be assigned and implemented. There are some companies using EWI's that have monthly meetings based upon these Corrective Action reports to address quality issues and greatly improve product quality and throughput.

ymptom	Frequency	Last Occurrence	Symptom Note
onducter tin length is greater than .0776"	47	8/31/2016 12:12:09 AM	
onducter tin length is less than .0464"	10	8/30/2016 9:53:27 PM	

Figure 4 – Corrective Action

EWI's can also capture information or data from the floor in a way that cannot be done with paper based work instructions. Many facilities using paper will have a traveler or paper worksheet that goes along with the assembly and it may have a place for operators to write in a value from a manual measurement or data from a piece of equipment. There may also be a tolerance on this worksheet that the measurement has to fall within to pass. Many times this data is then just stored in a file folder or it could be checked off on by a QA person and then stored. Sometimes the data may even be later manually entered into a spreadsheet for further processing or traceability. This procedure contains the extra step of manual data entry which takes extra time, causes a delay in the availability of the data and introduces the possibility of data entry error.

With EWI's, this process is much more streamlined and much less prone to data entry error. There can be a step in the instruction with a field where data is entered. This data can be automatically checked by the system to make sure it falls within tolerance. If it is out of tolerance, a troubleshooting mode can be automatically initiated. It is even possible to interface the measurement equipment directly to the EWI so no data entry is required. Now there is no possibility for error and the data goes right into the database for reporting or further processing.



Figure 5 – Measurement Data Captured by EWI

An industrial air conditioner manufacturer implemented EWI's because of a specific yet persistent problem where operators were repeatedly installing the wrong motor. This mistake was typically not discovered until after the units were installed in their final location, typically on the roof of a building, ensuring that a simple oversight became a very expensive and visible blunder. With the full implementation of EWI's, the manufacturer was able to simultaneously simplify the procedure and validate each installed component in real time using a barcode scanner. This serious problem was never experienced again.

In addition to the obvious EWI capability of automatically validating a data input, it can also accommodate the requirement for a human inspector. If there is a requirement for QA approval, certain steps can be configured so that the operator needs to review the step and have a QA person enter a password or scan their badge before the operator can continue on. This QA approval is also captured in the database for traceability... including date and time stamps.

Ewi's Are Dynamic:

Manufacturing processes in most facilities is a dynamic operation. Products with a variety of configurations and options need to be assembled by operators with a variety of skill levels that communicate in a variety of languages. It is a major challenge to assemble these products in this environment to a high level of quality, especially with a static, paper work instruction.

First let's discuss building a product with a variety of options. One example to illustrate this challenge that many people are familiar with is a PC. The same make and model PC may come with many different permutations including various options for RAM, Hard Drive, DVD Drive, Graphics Card, USB ports, etc. One very large work instruction with all possible configurations could be generated, but the operator will have to jump to different steps between different sections and this can easily cause issues. Furthermore, what if a more powerful graphics card necessitates a more powerful power supply? How does that get reflected in this methodology? The other possibility is to create a different work instruction document for each different configuration. This method is very difficult for the work instruction author to manage since there are common sections that all have to be changed when there is an update. As the amount of options increase, this method becomes nearly impossible as the number of permutations approaches hundreds or even thousands of different products.

With EWI's, these issues can be solved quickly and easily. The base procedure and all optional elements can be programmed ahead of time. When the order is generated, the EWI's can be automatically reconfigured on the fly to reflect only the relevant steps. All other irrelevant steps can be hidden. The operator need not even be aware of other options, they simple proceed through the EWI, step by step seeing only what is needed for the configuration of PC being assembled. It is also very easy for the author to manage since there is just one work instruction. One work instruction that has a wide variety of options. It is even possible for an ERP/MRP system to automatically drive the creation and configuration of the EWIs based on the order configuration.

Another challenge with creating work instructions is adjusting the amount of detail to put in the instruction. For novice users, there needs to be enough detail for them to successfully complete their assembly task. However, with this large amount of detail, the expert user will more than likely be slowed down.

EWI's solve this issue by dynamically configuring themselves to account for the skill level of the operator. Operators can be designated as either novice or expert. Information only steps can be added to the work instruction with details needed for the novice. An example of an informational only step is how to remove a cover from an assembly...where the bolts are located, what tool is needed to remove the bolts, how to properly and safely use this tool, where to put the bolts when they are removed, etc. The novice user needs this information, but the expert user has done this procedure many times so reading through this information will only slow them down.

If the job is released to the floor to a novice, the informational only steps are displayed. If the job is released to the floor to an expert, the informational only steps are automatically waived (although the expert can go back and review them if necessary.) This capability allows novice users to complete complex tasks and yet does not slow down the expert user.

In today's global economy, many companies have facilities spread throughout the world. Many times different subassemblies are built in one country with other subassemblies built in another country and perhaps final assembly yet somewhere else. It is also not uncommon to see operators speaking different languages even within the same manufacturing facility. In a single USA facility there can be operators speaking English, Spanish, Vietnamese and other languages. Creating paper work instructions for operators speaking different languages can be a big challenge.

There is an American automobile manufacture that was using paper work instructions written in English that failed an audit when the person performing the audit found out that operators on the production line using the work instructions only spoke and read Spanish. Operators may be able to look at the photos and have a basic understanding of what is going on in the work instruction, but obviously details will be lost and quality can suffer if they cannot read the work instruction. Even if they are experienced and have memorized the procedures, what happens when a new revision with changes is released to the floor?

EWI's can support multiple languages simultaneously avoiding this problem entirely. Each user can select their own preferred language and the system will adapt each EWI to display only the relevant language. English, Spanish, and Vietnamese speakers can all access the same EWI and see only their relevant language. Now, all operators can follow the work instruction in their native language so they truly understand all the details in every step. There is no more guessing. The process is enhanced.

Procedures Are Interactive:

EWI's are interactive and engaging. No more reading through paper documents which can lead to boredom and fatigue after many hours. With EWI's, operators are constantly engaged through an interactive and modern interface. Operators must pass steps confirming they have performed an operation, they must input measurements and scan components; they have constant positive feedback as they complete procedures and interactive support in the event of a failure. Images can be viewed and manipulated, and 3D CAD drawings can be navigated and exploded. Active, engaged, and interested operators are far more successful, than bored operators performing tasks from memory. Worse yet, boredom can lead to missed steps or even intentional short cuts. Regardless of the complexity of the task at hand, the operator becomes an integral component of a larger system and not just an automaton performing redundant tasks. The new paradigm engages operators as part of integrated, interactive environment.



Figure 6 – EWI on a Tablet

Furthermore, every single interaction with the software is tracked and recorded, whether it is with the raw EWI procedures (from an engineering standpoint) or a procedure being executed. Did a process engineer log in and change a step? Recorded. Did an operator scan the barcode of a component? Validated and recorded. Everything is always, automatically time-stamped and recorded allowing for the dramatic simplification and automation of everything from versioning, approval, quality control, ISO/AS compliance, management oversight, and continual process improvement based off of granular, real time data feedback from production. The operator does not even need to be aware all of this data is being captured. They are just following instructions and entering information when necessary and the EWI is doing the rest behind the scene.

Since all this information is in a database, it is quite straightforward to generate a variety of charts and reports to help engineers and managers gain a better understanding of their manufacturing operation. This information can be used to keep customers informed as well as to improve processes. Real time charts can also be displayed based upon this data and since the data is in an electronic database, it can be accessed globally. So, for example, a manger in the USA can open a chart showing the percent completion of all open jobs for a factory in Asia. They can tell which jobs are on schedule, which jobs are completed and which jobs are behind schedule all with the click of a mouse.

Easily Maintained:

Procedures in factories are continually changing as processes are improved, parts in the assembly process are changed, new equipment is used in the assembly process, etc. When these changes occur, the work instruction needs to be updated and approved before they can be released to the floor. Once a work instruction has been in use for a period of time, more than likely it has gone through several of these revisions. With paper instructions, there can be many challenges to this maintenance and also the challenge of tracking these instructions.... what changes were made with each revision and which products were made with which revision?

There is a certain Fortune 100 company in the USA that has rooms full of rows and rows of binders with paper work instructions. When any of these binders are opened, the paper documents inside are filled with redlines, stamps, etc. from all the changes that have been made over the years. Imagine the challenge of maintaining these rooms of binders!

With EWI's, all the work instruction maintenance can be handled within the software to streamline the authoring/approval process and provide complete traceability. The signoff procedure can be handled electronically. First an author makes changes to a work instruction and then an approver or approvers are notified that changes have been made. The approvers can go through the work instruction and see exactly what changes have been made and either approve all the changes or approve/disapprove on a step by step basis. If a step is disapproved, they can provide comments to the author on why a step was disapproved and/or provide suggestions for changes. The author can then make the necessary changes and it goes back to the approved. All this is done electronically, so the process is very easy and seamless. Once the work instruction is fully approved, it gets released to the floor. There can even be provisions made on how to handle work in progress. Should WIP be finished with the old EWI or should the new EWI come into play.

EWI's ensure that all operators are always using the latest revision of the work instruction. When a job goes to the floor, the latest revision work instruction is always used. It is not possible to accidentally use an old revision like it is with paper. No more exposure to potential audit failure because an operator had an old instruction in their workspace.

With EWI's it is also very easy to determine exactly what revision of work instruction was used to build a particular product, even if the product was built years ago. If a product comes back to the factory for analysis after failure in the field, it is easy to pull up the exact work instruction that was used to build this product along with all the associated manufacturing & test data. This can be a tremendous help with failure analysis. It is simple and easy to review which operators assembled the product, which components were used, what measurements were taken etc. The usefulness of EWI goes far beyond the original manufacturing process and can be of value to an organization for the full life of the product.

Conclusion:

In order to stay competitive in today's evolving global marketplace, manufacturing operations must recognize and embrace the vast revolution that is the new EWI paradigm. It is not good enough to state that manufacturing operations are paperless, when in fact PDF work instructions are just paper documents being displayed on a monitor. Using word processor or spreadsheet programs or even ERP/MRP or CAD software to create a PDF is not EWI, it is simply reducing a monitor, computer, and network to the functionality of a piece of paper.

The EWI Paradigm is not simply an incremental improvement on the old paper paradigm. It is not just the mashing together of a multitude of disparate systems to achieve minute improvements in document control, file storage, or deployment. It is a deep and fundamental revolution, rewriting all of the foundational assumptions of manufacturing procedures. The five pillars of the EWI Paradigm are the foundation of the next era of manufacturing.

- 1. Procedures are an extension of the work that is being done. They are living, evolving elements that become a virtual representation of the procedure being completed.
- 2. Procedures support a two-way flow of information. Information is captured for complete traceability
- 3. Procedures are dynamic. They filter and display relevant information in a relevant language to the operator and dynamically change when necessary based on the needs of the operator. Procedures should react to changing circumstances.
- 4. Procedures are interactive and engaging.
- 5. Procedure maintenance and versioning can be automated so Process Engineers can focus on their processes and not maintaining them.



Embracing A New Paradigm: Electronic Work Instructions (EWI)

Jeff Rupert

ScanCAD International. Inc.



Introduction

- Work Instructions 100 Years ago vs. Today
- Paper Paradigm
- New Electronic Work Instruction (EWI) Paradigm
- **EWI's are more than Just an Extension of Paper**
- Provide Two Way Communication
- **EWI's are Dynamic**
- Procedures are Interactive
- EWI's are Easily Maintained
- Conclusions
- **Q&A**



RNING

TURN ELECTRONICS MANUFACTURING INSPIRATION INTO INNOVATION

Manufacturing – 100+ Years Ago versus Today



Reference: Photo by Marcin Wichary

- **Dramatic Advancements in Some Areas**
- In Other Ways Nearly Indistinguishable!



Manufacturing – 100+ Years Ago vs Today

Massive Improvements/Advancements

- Networking and computational power
- Databases for inventory, orders, personnel, scheduling, etc.
- CAD Systems with 3D modelling, simulation, etc.
- Equipment, automation, barcode, testing, processes, materials, etc.

■ In Most Cases, Still the Same – The Paper Paradigm

- Paper Work Instructions or PDF Equivalents
- Paper Travelers

Despite the advancements in computing power, the paper paradigm has not changed!



The Paper Paradigm

- Procedures must be deployed to operators in a paper or paper analogue format.
- Procedures can only provide a rigid one-way flow of information from the document to the operator.
- Procedures cannot react to changing circumstances.
- Procedures cannot be interactive.
- Procedure revision must be manually controlled.

The basic challenges of building quality products with a changing workforce remain unsolved



The EWI Paradigm

- Procedures are an extension of the work that is being done a living, evolving element that becomes a virtual representation of the procedure being completed.
- Supports a two-way flow of information that is captured for complete traceability
- Procedures are dynamic, changing when necessary and displayed in a relevant language and format, tailored to the operator.
- Procedures are interactive and engaging.
- Procedure maintenance and versioning can be automated so Process Engineers can focus on their processes and not "maintaining" them.

EWI's are not an <u>evolution</u> of Paper, but a <u>revolution</u> in the manufacturing process



EWI

Portal

TURN ELECTRONICS MANUFACTURING INSPIRATION INTO INNOVATION

EWI's are More Than Just an Extension of Paper





EWI's are More Than Just an Extension of Paper



EWI In Action



EWI's are More Than Just an Extension of Paper

Two Real World Examples:

- Manufacturer of Complex Electrical Testers
- Transfer of Manufacturing Operations from North America to Asia
 - Training of new operators by EWI only in native language
 - Products built to same level of quality as before transfer
- Order Received for System that had not been built in several years
 - No operators left with experience with this product
 - System built in same time with the same level of quality with EWI



EWI's Provide Two Way Communication

With EWI's, assembly information flows to the operator, but information also flows from the manufacturing floor to engineers & managers.



CALABABAYERANG Yang Jang Kang Lang Kang L	* *	2 3 3	Confirm Special Inst			A		-		
Bi Assettides Trained 2					Its	pι	ln	er	Js	
Ale Astanta Walking Value (a) Alexi (a) Alexi (b) Alexi	7	SE TO A DE LA DE		part Arpar Time	ine the	dar Time Avg	Court Re	Shep Name	Step Type 1	to Name(#Parts)
Data Antony Wandaji Nami, a Kolovi 1 1 0 0 Ala Antony Wandaji Nami, a Kolovi 1 1 0 0 Ala Antony Wandaji Nami, a Nami,	-			0 0	2	3	- 1	1.1 KE Impediati	Batch 1	ABLE ASSEMBLY SERVICE) TRUE ASSEMBLY SERVICE)
ALLANDARA UTALILI, Nemi Li Aroy li 2 2 0 0 0 ALLANDARA UTALILI, Nemi Li Aroy li 2 2 0 0 ALLANDARA UTALILI, Nemi Li Aroy li 2 0 0 ALLANDARA UTALILI, Nemi Li Aroy li 1 0 ALLANDARA UTALILI, Nemi Li 1 0 ALLANDARA UT	-			0 0			· · · · · · · · · · · · · · · · · · ·	1.3 Cut	Batch 1	ARLE ASSESSED VIEW ALL 1
BLAAMANG TINALIJ 1974 AL COMMENT A 1 A 1 D C C OKCOMPANIAL AND	_			0 0	2		1		Batch 1	IN PASSAGE NO VERSION
BLAKUMA (1944) 1942 2019 2012 2014 1 1 1 1 0 0 0 BLAKUMA (1944) 1942 2019 2014 2014 10 1 1 0 0 0 BLAKUMA (1944) 1942 1942 1942 1942 1942 1942 1942 1942	-			0 0 0 0 0 0	2	1	1 1	1.4 95/p		server be an a server of the server of the
BLASHAMING TORALLS 1992 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	7	Stee Conviction Time			2	3	1 1 1	1.4 Ship 2.1 Coreed	77597 2	ABLE ASSEMBLY SERIAL(1)
ALASIANSI 1994.11 1997 AL 20 00000 1 1 1 1 0 0 0 ALASIANSI 1994.11 1997 AL 20 00000 1 1 1 0 0 0 ALASIANSI 1994.11 1997 AL 20 0000 1 1 0 0 0 ALASIANSI 1994.11 1997 AL 20 0000 1 1 0 0 0 ALASIANSI 1994.11 1997 AL 20 0000 1 1 0 0 0 ALASIANSI 1994.11 1997 AL 20 0000 1 1 0 0 0 ALASIANSI 1994.11 1997 AL 20 0 0 ALASIANSI 1994.11 1994.11 1997 AL 20 0 0 ALASIANSI 1994.11 1997 AL 20 0 ALASIANSI 1994.11 1997 AL 20 0 0 ALASIANSI 1997 AL 20 0 ALASIANSI 1997 AL 20 0 AL	T	Step Completion Time		0 0 0 0 0 0 0 0 0 0 0 0 0 0	2	1 7 1 1	1 1 1 1	1.4 Strip 2.1 Coreect 2.2 Coreect	Tray 2 Tray 2	ABLE ASSEMBLY SERVAL(1) DRIF ASSEMBLY SERVAL(1)
BL ADAMAN STALLE) Wheth 3 Jan (1970) Show (2) 1 1 1 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	ŀ	Step Completion Time			2 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 7 1 1	1 1 1 1	1.4 Ship 2.1 Cornett 2.2 Connett 2.4 Attach	Tray Tray Tray	ANDER ASSEMNIELY SERVIAL(1) DRUG ASSEMNIELY SERVIAL(1) ANDER ASSEMNIELY SERVIAL(1)
Add ADMINISTERIAL (1) Virtual (1) 1 4 4 0 6 Add ADMINISTERIAL (2) Virtual (2) 1 1 0 6 6 Add ADMINISTERIAL (2) Mathema (2) 1 1 0 6 6 Add ADMINISTERIAL (2) Mathema (2) 1 1 0 6 6 Add ADMINISTERIAL (2) Mathema (2) 1 1 0 6 6 Add ADMINISTERIAL (2) Mathema (2) 1 1 0 6 6 Add ADMINISTERIAL (2) Mathema (2) 1 1 0 6 6 Add ADMINISTERIAL (2) Mathema (2) 1 1 0 6 6 Add ADMINISTERIAL (2) Mathema (2) 1 1 0 6 6 Add ADMINISTERIAL (2) Mathema (2) 1 1 0 6 6 Add ADMINISTERIAL (2) Mathema (2) 1 1 0 6 6 Add ADMINISTERIAL (2)		Step Completion Time			2	1	1111	1.4 Styp 2.1 Cornect 2.2 Connect 2.4 Attach 2.5 Other	Tray Tray Tray Tray	ABLE ASSEMBLY SERVAL(1) DR. F. ASSEMBLY SERVAL(1) ABLE ASSEMBLY SERVAL(1) ABLE ASSEMBLY SERVAL(1)
Bard ANDARCY (1994) (2) Bard A. S. C. (1994) (2) Bard Bard <td></td> <td>Step Completion Time</td> <td>89</td> <td>0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0</td> <td>2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2</td> <td>1</td> <td>1 1 1 1 1</td> <td>1.4 Strip 2.1 Connect 2.2 Connect 2.4 Attach 2.5 Other 3.3 Imp Open End</td> <td>Tray Tray Tray Tray Tray TrayBetch</td> <td>AND ASSEMBLY SERVALLO DR. F. ASSEMBLY SERVALLO AND ASSEMBLY SERVALLO AND ASSEMBLY SERVALLO AND ASSEMBLY SERVALLO</td>		Step Completion Time	89	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1	1 1 1 1 1	1.4 Strip 2.1 Connect 2.2 Connect 2.4 Attach 2.5 Other 3.3 Imp Open End	Tray Tray Tray Tray Tray TrayBetch	AND ASSEMBLY SERVALLO DR. F. ASSEMBLY SERVALLO AND ASSEMBLY SERVALLO AND ASSEMBLY SERVALLO AND ASSEMBLY SERVALLO
Markatology (1944) Jack The Properties 10 6 Lift Action (1944) Jack The Properties 14 14 0 0 Lift Action (1944) Jack The Properties 14 14 0 0 Lift Action (1944) Jack The Properties 14 14 0 0 Lift Action (1944) Jack The Properties 14 14 0 0 Lift Action (1944) Jack The Properties 14 14 0 0 Market Mark (1944) Jack The Properties 14 14 0 0 Mark (1944) Jack The Properties 14 14 0 0 10 Mark (1944) Jack The Properties 14 15 0 0 0 Mark (1944) Jack The Properties 1 0 0 0 0 0 0 Mark (1944) Jack The Properties 1 0 0 0 0 0 0 0 0 0 0 0		Step Completion Time	50		2 3 2 3 3 3 3 3 4 4 4 4 4 4 4 4 4 4 4 4	1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1.4 Strip 2.1 Connect 2.2 Connect 2.4 Attach 2.5 Other 3.3 Imp Open End 3.4 MpH	Tray Tray Tray Tray TrayBatch TrayBatch	NUL ASSEARCY SERVICE IN A SSEARCY SERVICE NUL ASSEARCY SERVICE NUL ASSEARCY SERVICE IN ASSEARCY SERVICE IN ASSEARCY SERVICE IN ASSEARCY SERVICE
Build And Mark Transaction 2 37 28-5 0 0 Build And Mark Transaction 1		Step Completion Time	50			1 1 1 1 1 1 1 1 1 1 1 1 1		1.4 Strip 2.1 Connect 2.2 Connect 2.4 Attach 2.5 Other 3.3 Imp Open End 3.4 Molil 34.3 Fett 4.1 OC Impaction	Tray Tray Tray Tray TrayBatch TrayBatch Batch Batch	ULL ASSEMENT (A 1994) 2015 A 2019 MILLY (A 1994) 2017 A 1994 MILLY (A 1994) 2017 A
BLARDMONTGALLY Neth 12 Properties 1 14 14 0 0 BLARDMONTGALLY Neth 12 CH 14 4 0 0 BLARDMONTGALLY Neth 12 CH 44 4 0 0 BLARDMONTGALLY Neth 12 CH 44 4 0 0 BLARDMONTGALLY Neth 12 CH 0 0 0 BLARDMONTGALLY Neth 12 CH 0 0 0 BLARDMONTGALLY Neth 12 CH 0 0 0 BLARDMONTGALLY Neth 1 2 0 0 BLARDMONTGALLY Neth 1 1 0 0 BLARDMONTGALLY 1 1 0 0		Rep Completion Time	50 20 10		2 3 2 3 3 3 3 4 3	1 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	1.4 Porp 2.1 Connect 2.2 Connect 2.3 Connect 2.5 Other 3.3 Porp Open End 8.4 Model 38.1 Test 4.1 QC Inspection	Tray Tray Tray Tray TrayBatch Batch Batch	ALLE ASSEMBLY SERVICE SELFANDER Y SERVICE SELFANDER Y SERVICE SELFANDER Y SERVICE SELFANDER Y SERVICE SELFANDER Y SERVICE SELFANDE Y SELFANDE Y SERVICE SELFANDE Y SELFANDE Y SERVICE SELFANDE Y SELFANDE Y SERVICE SELFANDE Y SELFANDE Y
BLAMMON (BRUL) Def 1 Gef 4 4 6 0 6 BLAMMON (BRUL) Month 1 deg 1 2 2 6 1 <td></td> <td>Step Completion Time</td> <td>50 25 10</td> <td></td> <td>2</td> <td>3 3 1 1 1 1 1 1 1 1 4 1 57</td> <td></td> <td>1.4 Perp 2.1 Connect 2.2 Connect 2.3 Attach 2.3 Perp Open End 3.4 Mold 3.4 Mold 3.4 Test 4.1 QC Inspection 1.1 KR Inspection</td> <td>Tray Tray Tray Tray TrayBatch Batch Batch Batch</td> <td>ALLE ASSEMMENT SERVICE) DES ASSEMMENT SERVICE) ALLE ASSEMPTION</td>		Step Completion Time	50 25 10		2	3 3 1 1 1 1 1 1 1 1 4 1 57		1.4 Perp 2.1 Connect 2.2 Connect 2.3 Attach 2.3 Perp Open End 3.4 Mold 3.4 Mold 3.4 Test 4.1 QC Inspection 1.1 KR Inspection	Tray Tray Tray Tray TrayBatch Batch Batch Batch	ALLE ASSEMMENT SERVICE) DES ASSEMMENT SERVICE) ALLE ASSEMPTION
64.45500(1914)) briefs 1.499 2 226 09 3 31 04.45500(1914)) briefs 1.64 80 0 1.64 10 04.45500(1914)) briefs 1.64 80 0 1.64 10 04.45500(1914)) briefs 1.14 50 0 0 1 04.45500(1914)) briefs 1.15 50 0 0 0 0 04.45500(1914)) briefs 1.15 1.0 0		Step Completion Time	50 50 10		2 5 5 5 5 5 5 5 5 5 5 5 5 4 5 5 5 5 5 5	3 3 3 3 3 3 3 3 4 10 57 54		1.4 Step 2.1 Correct 2.2 Connect 2.4 Attach 2.5 Other 3.3 Frey Open End 8.4 Mold 3.3 Test 4.1 QC Impection 1.1 RX Inspection 1.2 Properties	Tray Tray Tray Tray TrayBetch TrayBetch Batch Batch Batch	ALL ASSEMELY SERVICE) SILE ASSEMELY SERVICE) ULL ASSEMELY SERVICE)
BLAKUMAN STRUUT] INV 21.5000000000000000000000000000000000000		Step Completion Time	av 30 70		2 5 5 1 1 1 1 1 1 1 1 1 1 4 1 28.5 14 41	3 3 1 1 1 1 1 2 4 1 10 57 14 41		1.4 Step 2.1 Connect 2.2 Connect 2.4 Attach 2.5 Offer 3.3 Prop Open End 3.4 Hould 3.4.1 Ret 4.1 QC Inspection 1.1 KL Inspection 1.2 Proposition 1.2 Proposition	Tray Tray Tray Tray TrayBetch TrayBetch Batch Batch Batch Batch Batch	
BARMING FERRELL 1977 A. 2018 2 12 2 2 0 0 0 BARMING FERRELL 1978 A. 2018 2 1 2 1 0 0 0 MARMING FERRELL 1976 DA 2018 1 2 1 0 0 0 MARMING FERRELL 1976 DA 2018 1 2 1 0 0 0 BARMING FERRELL 1976 DA 2018 1 2 1 0 0 0 BARMING FERRELL 1976 DA 2018 1 2 1 0 0 0 BARMING FERRELL 1976 DA 2018 1 1 0 0 0 0 BARMING FERRELL 1976 DA 2018 1 1 0 0 0 0 BARMING FERRELL 1976 DA 2018 1 1 0 0 0 0 0 BARMING FERRELL 1976 DA 2018 1 1 0 0 0 0 0 BARMING FERRELL 1976 DA 2018 1 1 0 0 0 0 0 0 BARMING FERRELL 1976 DA 2018 1 1 0 0 0 0 0 0 BARMING FERRELL 1976 DA 2018 1 1 0 0 0 0 0 0 BARMING FERRELL 1976 DA 2018 1 1 0 0 0 0 0 0 BARMING FERRELL 1976 DA 2018 1 1 0 0 0 0 0 0 BARMING FERRELL 1976 DA 2018 1 1 0 0 0 0 0 0 BARMING FERRELL 1976 DA 2018 1 1 0 0 0 0 0 0 BARMING FERRELL 1976 DA 2018 1 1 0 0 0 0 0 0 BARMING FERRELL 1976 DA 2018 1 1 0 0 0 0 0 0 BARMING FERRELL 1976 DA 2018 1 1 0 0 0 0 0 0 0 BARMING FERRELL 1976 DA 2018 1 1 0 0 0 0 0 0 0 BARMING FERRELL 1976 DA 2018 1 1 0 0 0 0 0 0 0 BARMING FERRELL 1976 DA 2018 1 1 0 0 0 0 0 0 0 BARMING FERRELL 1976 DA 2018 1 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		Step Completion Time	49 29 10 15		2 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	3 3 1 1 1 1 1 2 4 1 10 57 14 41 120	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1.4 Styp 2.1 Connect 2.3 Connect 2.4 Attach 2.3 Offer 3.3 Styp Den Evel 3.4 Model 3.6 3 Fert 4.1 OC Imspection 1.2 Programsion 1.2 Programsion 1.2 Styp 3.4 Ctr	Tray Tray Tray Tray TrayBetch TrayBetch Betch Betch Betch Betch Betch	
		Step Completion Time	87 27 20 70 70		2 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	1 3 1 1 1 1 1 1 4 1 1 1 4 1 1 1 2 4 2 43 2 43	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1.4 Styp 2.1 Correct 2.1 Correct 2.4 Attach 2.4 Attach 2.3 Strep Open End 8.4 Avail 3.3 Test 4.1 GC impetion 1.2 Superstein 1.2 Superstein 1.3 Cut 1.4 Styp 2.1 Connect	Tray Tray Tray Tray Tray TrayBetch TrayBetch Betch Betch Betch Betch Betch Betch Betch	HILL ASSESSED VERALES III. J ASSESSED VERALES
		Step Completion Time	80 20 20 20		2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1 7 1 1 1 1 1 1 4 4 1 57 14 41 205 243 19	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1.4 Styp 2.1 Connect 2.2 Connect 2.3 Softwar 3.3 Prop Open End 8.4 Mold 3.4 Test 4.1 GC Inspection 1.2 Properation 1.2 Properation 1.2 Styp 2.4 Connect 2.3 Test	Tray Tray Tray TrayBetch TrayBetch Detch Betch Betch Betch Betch Tray Tray Tray	NULL ASSEMBLY SERVICES ILL STOCKNEY SERVICES ILL SERVICES SERVICES ILL SERVICES SERVICES ILL SERVICES SERVICES ILL SERVICES SERVICES ILL ASSEMBLY SERVICES
		Rep Completion Time	50 20 25 25 25 20		2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	3 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1.4 Styp 2.1 Connect 2.7 Connect 2.7 Strenget 2.8 Status 2.8 Styp 3.8 Styp 4.1 OC Impetition 1.9 Stypestion 1.2 Stypestion 1.3 Gut 2.4 Styp 2.1 Connect 2.3 Status 2.4 Stypestion 2.4 Stypestion 2.5 Status 2.4 Stypestion 2.5 Stypesti	Tray Tray Tray Tray TrayBetch TrayBetch Batch Batch Batch Batch Batch Batch Batch Batch Tray Tray Tray	
		Step Completion Time	10 10 10 10		2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1 3 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		1.4 Styp 2.1 Connect 2.2 Connect 2.3 Observation 2.3 Solver 3.3 Frey Dependent 4.1 GC mapetion 1.1 KT supertion 1.2 Proparation 1.3 Cont 2.4 Styp 2.3 Connect 2.3 Test 2.4 Attrach 2.5 Observation 2.5 Connect 2.3 States 2.4 Stype 2.5 Observation 2.5 Stype 2.5 Stype 2.	They They They They They They They Seatch Beatch Beatch Beatch Beatch Beatch Beatch Beatch Beatch Beatch Beatch They They They They They They They Beatch Be	
		Step Completion Time	17 20 20 20 20 20 20		2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1 2 1 1 1 1 1 1 1 1 1 1 1 1 1	L L L L L L L L L L L L L L L L L L L	1.4 Styp 2.4 Connect 2.2 Connect 2.4 Attach 2.3 Other 3.3 Fep Open End 8.4 Angle 3.4 Test 4.1 OC Inspection 1.2 Propertion 1.2 Propertion 2.3 Connect 2.3 Connect 2.3 Connect 2.3 Attach 2.4 Strate 2.4 Strate 2.	They They 1 They 1 They 1 They 1 They 1 They 1 They beach 1 they beach 1 they beach 1 they 1	
ALLANDAMY SERVA[1] Buch SA.1 Tet 1 50 50 0 0 0		Rep Completion Time			2 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	1 3 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1.4 Styp 2.1 Connect 2.2 Connect 2.3 Connect 2.4 Attach 2.3 Software 3.3 Sing Digen End 8.4 Muld 38.3 Test 4.1 GC Inspection 1.1 Att Inspection 1.2 Proparation 1.3 Cut 2.7 System 2.1 Connect 2.3 Test 2.4 Attach 2.5 Mold USE Test 2.3 Mold USE Test 2.3 Mold USE Test 2.3 Mold USE Test	They They I They I They I They I They I They I They Month I They March I Batch Batch Batch Batch Batch Batch I They I The	
				0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	2 5 5 5 5 5 5 4 5 5 5 5 5 5 5 5 5 5 5 5	1 3 4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		1.4 Styp 2.4 Connect 2.2 Connect 2.2 Connect 2.3 Attack 2.5 Other 2.5 Other 3.3 Fert 4.1 GC Inspection 1.2 Fragmation 1.2 Fragmation 1.3 Get 3.4 Get 2.4 Styp 2.1 Connect 2.3 State 2.4 St	They Taky 1 Taky 1 Taky 1 Taky 1 Taky 2 Taky 1 Taky 2 Taky 1 Taky 2 Taky	ALL ASSIMPT VEHICLE) INFL ASSIMPT VEHICLE)
2011 ASSEMBLY SERVICE BAREN 4.1 OC Interestion 1 120 120 0 0 0 5 5 5 5 5 5				0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	2 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	1 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		1.4 Styp 2.4 Connect 2.2 Connect 2.2 Connect 2.4 Attach 2.3 Other 3.3 Frap Open End 3.4 Morial 3.3 Frap Open End 3.4 Test 4.1 GC Inspection 1.2 Programmed 2.3 Connect 2.3 Test 2.4 Attach 2.3 Other 2.3 Morial (2015 Fre 3.2 Morial (2015 Fre 3.4 Morial (2015 Fre)3.4 Morial (2015 Fre)3.4 Morial (2015 Fre)3.4 Morial (2015 Fre)3	They Teay Teay Teay Teay Teay Teay Bacch Bacch Bacch Bacch Bacch Bacch Bacch Bacch Bacch Datch Datch Datch Teay Teay Teay Teay Teay Teay Teay Teay	Ale J ASSIME Y BEALLY IN A STATUS Y HEALLY IN A STATUS Y HEALY IN A STATUS Y HEALY IN A STATUS Y HEALY IN
ABLEASSBARY SERVICE) Traylocth 62 Factoge 1 8 8 0 0					2 3 3 4 4 4 4 4 5 5 2 4 4 4 5 5 2 5 5 5 5 5 5 5 5 5 5 5 5 5	1 3 1 1 1 1 1 1 1 1 1 1 1 1 1		1.4 Styp 2.1 Connect 2.2 Clament 2.2 Clament 2.3 Clament 2.3 Other 3.3 Strap Open End 3.4 Maple 3.4 Stypes End 4.1 OC Inspection 1.3 Cut 1.4 Stype 2.1 Connect 2.4 Stype 3.1 Maple Open End 3.2 Molt Rig 5.8 Trest 4.1 CC Inspection 5.1 Mail USI Free 5.8 Trest 4.1 CC Inspection 5.1 Trest 4.1 CC Inspection 5.1 Trest 4.1 CC Inspection 5.1 Trest 4.1 CC Inspection 5.1 Trest 4.1 CC Inspection	They Teay Tray Tray Tray Tray Tray Tray Batch Batch Batch Batch Batch Batch Batch Tray Tray Tray Tray Tray Tray Tray Tray	ALL ASSIMEY VENALLY INTERNET ASSIMEY VENALLY

Го		Send
From		Cancel
Subject		Cancel All
Attachments		Attach
Server: sciserve Database: ProW	∙pc\sqlexpress iks	

Emails

Database





EWI's Provide Two Way Communication

- Feedback from operators to author/engineer when steps are confusing
- Prevents quality issues due to operator interpretation of confusing steps





EWI's Provide Two Way Communication

- User Inputs
 - Capture data
 - Keyboard, barcode or even software/equipment interface
 - Set tolerances on data and prevent going further if it does not pass.
 - Generate reports on data or send to spreadsheet for additional processing.
 - Automatic troubleshooting if out of tolerance or operator initiates





EWI's Provide Two Way Communication

Sympton

2

Symptoms -

Conditions of failure and frequency are collected for all steps that are not passed

Corrective Actions-

Steps necessary to "fit" escape conditions are also saved and offered to the next person executing the same process

Data can be Mined for Continuous Improvement Initiatives. **Turn Tribal Knowledge into Intellectual Capital!**





EWI's Provide Two Way Communication

Automatically send Emails

- Events can trigger emails
- Event can be a pass, fail or ...
- Emails can be pre-configured for both content and who they are sent to

То		Send
From		Cancel
Subject		Cancel All
Attachments		Attach
The following step	is assigned to you and is ready for your attention.	~
Field 1: 9675587		
Server: sciserver	ation -pc/salexpress	
		~
		V



EWI's Provide Two Way Communication

- Real World Example:
- Manufacturer of Industrial Air Conditioners
- Problem:
 - Installation of incorrect motor into commercial air conditioner at factory
 - Problem not discovered until system is installed on building rooftop
 - Very expensive and time consuming to replace once system is installed
- Solution with EWI:
 - Operator validated correct motor by barcode scanning in EWI
 - Costly issue never occurred again once EWI solution implemented



EWI's Are Dynamic

Challenge: Products with a variety of configurations and options need to be assembled by operators with a variety of skill levels that communicate in a variety of languages, on-time and to a high level of quality.

Solution: Dynamic EWI's

- Support for multiple configurations/options
- Compensate for operator skill levels
- Support multiple languages

Dynamic capability is transparent to the operator. Configuration done by manager or ERP/MRP system. Operator just simply follows the steps they see.



EWI's Are Dynamic

Options – EWI's provide the ability to display or hide groups of steps based on the configurations. This gives users the ability to maintain only one work instruction set for multiple configurations.



emplate View		
8 🗢 🖗 🛛 🕼 💊 🌡 🗞 🍋 🗸 🔻	Arial 🗸 14. 🗸 🎉 🖺 🙈 🤊 🍖 B I 🖳 🧐 🔽 🥖	Black 🔹
Scanning	This step has children, and will not be shown in a job.	
Scanning		
Scanner Calibrated?	Options	? ×
Scan Stencil Barcode	Edit This step will only show when the following criteria are met	:
Place STENCIL on Scanner	Find : Previous	
Import a Gerber File	Stencil Type	
Scan STENCIL (Laser)	E-Fom	
Scan STENCIL (E-Form)		
Inspection		
Gross Align Gerber to STENCIL		
Fine Align Gerber to Stencil		
Inspection Stencil (Laser)	Show When:	
Inspection Stencil (E-Form)		
Pinhole Inspection Stencil (E-Form)	Show On Job Load	Apply
Inspection Report	Mandatory Non-mandatory EDL IDL Mandatory Option. It must be set during job.	



EWI's Are Dynamic

Expert/Novice Mode - As users become increasingly proficient at executing processes they may find that they no longer need the detailed step-by-step instructions. In fact, the detailed descriptions intended for people who are less familiar with the process, will slow the process down and frustrate experienced users.



EWI's can accommodate the difference between more and less experienced users with an Expert/Novice Mode. Users can be designated as "Experts" and therefore do not see the novice steps, unless they wish to review them. Likewise, novice users are required to move through all steps to provide real-time experience and guarantee product quality.



EWI's Are Dynamic

Multi Language

- Store work instructions in multiple languages.
- Change the user interface to display different languages
- Operators see the work instruction and software user interface in native language





Procedures are Interactive



EWI On a Tablet



Procedures are Interactive

- Procedures are engaging. Operator interacts with software
 - Confirm step completion
 - Enter data
 - Open photos, CAD files zoom in, rotate, etc.
 - View videos
 - Troubleshooting help
 - Provide feedback if confusion
- Minimize boredom and fatigue
 - Reduce errors
 - Prevent assembling-by-memory-only



The operator is an integral component of the total system and not just performing redundant tasks. The new paradigm engages operators as part of integrated, interactive environment.



Jobs Total

Jobs with Fai

Procedures are Interactive

Traceability and Reporting

- Database captures all steps for complete traceability.
- Data can be mined to generate reports/charts including real-time feedback – even globally.
- Data for continual
 process improvement
- Essential for complying with today's regulatory environment, passing audits, etc.

Time of Report: 10/12/20	16 4·20·40 PM	1						g so	_
Level 1	Level 2	Level 3 Lev	el 4 Level 5	5 User	Status	Time Stamp	Sym	£ 40	
1. Setup and Preparation	1.1 Kh lassa tina			Orantas	Deserved	10/12/2010 4-1	C-10 DM	Ś.	
1. Setup and Preparation	1.1 Nit Inspection			Operator	Passed	10/12/2016 4:1	0.10 FM	ē,	
1. Setup and Preparation	1.2 Deparation			Operator	Passed	10/12/2016 4:1	9:30 PM	2	
1. Setup and Preparation	1.4 Strip			Operator	Passed	10/12/2016 4:1	9:31 PM	10.30 10	
2. Wiring								년 11 11 11 11 11 11 11 11 11 11 11 11 11	
2. Wiring	2.1 Connect			Operator	Passed	10/12/2016 4:1	9:33 PM	ā	
2. Wiring	2.2 Connect			Operator	Passed*	10/12/2016 4:1	9:33 PM	₽ 20	
2. Wiring	2.3. Test			Operator	Passed	10/12/2016 4:1	9:35 PM		
2. Wiring	2.4 Attach			Operator	Passed	10/12/2016 4:1	9:36 PM		
2. Wiring	2.5 Other			Operator	Passed	10/12/2016 4:2	0:24 PM		
3. Molding									
3. Molding	3.1 Mold USB End			Operator	Passed	10/12/2016 4:2	0:25 PM		
3. Molding	3.2 Mold Hag			Operator	Passed	10/12/2016 4:2	0:26 PM		
3. molding	3.3 Prep Upen End			Operator	Passed	10/12/2016 4:2	0.27 PM	2003 2004 2005 2006 2007 2008 2009 2010 2011 2012 2013 2014 2015 2016	20
3. Molding Test	3.4 Mold			operator	i dssed	10/12/2010 4:2	0.20 FM	YTD	Pr
3A. Molding Test	3A 1 Test			Operator	Passed	10/12/2016 4:2	0:33 PM	Year	
4 Final QC and Packaging	over reac			operator	1 00000	10/12/2010 4.2	0.00114	e <mark>e</mark> u <u> </u>	_
4. Final QC and Packaging	4.1 QC Inspection			Operator	Passed	10/12/2016 4:2	0:37 PM	B	_
4. Final QC and Packaging	4.2 Package			Operator	Passed	10/12/2016 4:2	0:39 PM	ummary Report for 5/7/2013 5:36 PM	
< Save As					Re	view	> Close	Customer Number: Active: 1 / 1 100%	
Ready 21 PunchList Items	Shown Filter By: M	lode = All Statu	s					Started: 5/3/2013 12:47 PM Rate: 1 / minute	
		Demo		Due: 5/3	3/2013 5:	00 PM Yi	eld: 100%	Due: 5/3/2013 5:00 PM Yield: 100%	
		PW D	emo HD	Serial No	umber: La	te Or	der Number:	Serial Number: On Time Order Number:	
		Failur Resto	e ration Pr	Custome	r Numbe	r: Ac	:tive: 0 / 0	Customer Number: Active: 0 / 0	
		0 Cor 2 In F	npleted			0%		62%	
		Serve	r	Started:	8/22/201	12 9:03 A Ra	te: 0 / minut	Started: 8/22/2012 9:04 A Rate: 0 / minute	
				Due: 1/1	1/2013 5	:00 PM Yi	eld: 100%	Due: 5/8/2013 5:00 PM Yield: 100%	
		PW D	emo HD	Compute	er Serial M	Number: T Of	fice:	Computer Serial Number: T Office:	
		Failur Resto	ration Pr	Date:		Ad	tive: 0 / 0	Date: Active: 0 / 0	
		1 Cor	npleted			100%		25%	
		1 In F	rogress						
		1 In F	rogress	Started:	2/22/201	12 2:58 PM Ra	ite: N/A	Started: 2/22/2012 2:59 PM Rate: 0 / minute	



EWI's are Easily Maintained

	Approval	Process				?	, ×									
	ſ	Cable As	sembly Demo	Edit	ting Template	(ver 3	8-SA)									
			Show Only Instructions		🔲 Hide All C	/ersion	Summary fo	r Stencil In	spection				?	×		
					Clear Filt	Version 5 U 4	St UNDER EDIT; APPF	atus PENDING ROVED	Editor EDITS Lee, Travis Isabelle, Lee	Submitted By Travis Isabelle, Lee	Time 1 10/7/2014 9/24/201	Submitted 4 11:55:58 AM Tr 14 1:31:14 PM	Reviewed B ravis, Bill, Lee, Isabelle, Lee,	3y Isabelle Travis		
	Status	Step Name	Change Type	Editor		2	APPE	ROVED	Isabelle, Lee, Travis	Isabelle, Lee, Trav Isabelle, Lee, Trav	9/9/2014 is 9/5/2014	4 2:47:58 PM 4 4:12:43 PM	Isabelle, Lee, 7 Isabelle, Lee, 7	Travis Travis		
Integrated	Editing	1.1 Kit Inspection	Instruction Change	Travis			$ \rangle$						-			
	Editing	1.2 Preparation	Instruction Change	Travis			$\langle \rangle$	\backslash		\backslash					_	
Ravision	Editing	1.3 Cut	Instruction Change	Travis				\rightarrow								_
I CEVISION	Editing	1.4 Strip	Instruction Change	Travis					-							
Control	Editing	1.4 Outp	Convex Instruction Medified	Travia					itencil Inspection Version	n 5 Details - UNDER B	DIT					? ×
CONTROLO	Ealung	2.1 Connect	Canvas Instruction Modified	Travis					Step	User Edit Typ	e Ed	dit Time	Editor	Time Submitted	Reviewed By	Review Time Appn ^
	Editing	2.4 Attach	Canvas Instruction Modified	Travis			<u> </u>		Define Color Separation Define Color Separation	Lee Step Ins	tructions 10 tructions 10	J/7/2014 1:15:11 PM 0/7/2014 1:14:43 PN	1 4			
Flectronic	Editing	2.5 Other	Support File Added	Travis					Define Color Separation	Lee Step Ins	tructions 10	0/7/2014 1:14:30 PM	1			-
	Editing	2.5 Other	Support File Deleted	Travis					Introductions Intro (Clamshell)	Lee Step Ins	tructions 10 tructions 10	0/7/2014 12:03:27 Pi 0/7/2014 11:25:03 A	M Travis	-	Travis	
0' ((Editing	3.1 Mold USB End	Instruction Change	Travis					Intro (Clamshell)	Lee Step Ins	tructions 10	J/7/2014 11:25:03 Al	M Bill		Bill	
Sign off	Euro			TIGVI5					Intro (Clamshell)	Lee Step Ins	tructions 10	0/7/2014 11:25:03 A	M Isabelle		Isabelle	_
Olgi Oli	Editing	3A.1 Test	AutoCommand Added/Modifi	Travis		<			Stencil Type 1 (Laser)	Lee Step Ins	tructions 10	J/7/2014 10:56:40 A	M Lee		Lee	
-	Editing	4.2 Package	Instruction Change	Travis				\	Stencil Type 1 (Laser) Stencil Type 1 (Laser)	Lee Step Ins	tructions 10 tructions 10	0/7/2014 10:56:40 A	M Isabelle		Isabelle	
									Stencil Type 1 (Laser)	Lee Step Ins	tructions 10	0/7/2014 10:56:40 A	.M Travis		Travis	
									Stencil Type 1 (Laser)	Lee Picture	10	J/7/2014 10:56:38 A	M Travis		Travis	
									Stencil Type 1 (Laser)	Lee Picture	10	0/7/2014 10:56:38 A	M Isabelle		Isabelle	
									Stencil Type 1 (Laser)	Lee Picture	10	0/7/2014 10:56:38 A	M Lee		Lee	-
									Stencil Type 2 (E-Form)	Lee Step Ins	tructions 10	0/7/2014 10:54:02 A	.M Bill		Bill	-
									Stencil Type 2 (E-Form)	Lee Step Ins	tructions 10	J/7/2014 10:54:02 AJ	M Travis		Travis	
									Stencil Type 2 (E-Form)	Lee Step Ins	tructions 10	0/7/2014 10:54:02 A	M Isabelle		Isabelle	
	1				Revie	w Chang	-	-11\-1	Stencil Type 2 (E-Form)	Lee Picture	10	0/7/2014 10:53:59 A	.M Bill		Bill	
					- TONG	an onling	-		Stencil Type 2 (F-Form)	Lee Picture	10	1/7/2014 10:53:59 A	M Isahelle		Isabelle	
	Sta	art Approval				Close		\mathbb{J}							Open	Close



EWI's are Easily Maintained

- Revision Control
 - Traceability of different revisions
 - Electronically release new version to floor
 - Know which revision built which product
 - Easily compare differences between revisions
- Approval process handled within EWI software
 - Managers must approve all edits before release
 - Electronic signatures
 - Approve or disapprove steps one at a time or all at once.
 - Manager can add comment with disapproval of step

Dramatically reduces the time it takes to manage work instructions

X Ap	Show	w Only Denied	Show Only Instructions		Hide All Creates
X Ap	Tide Status	All Approved	Show All Users		
X Ap	Status			_	Clear Filters
🗆 Ap		Step Name	Change Type	Editor	
	pproved	1.1 Kit Inspection	Instruction Change	Travis	
🗖 Ap	pproved	1.2 Preparation	Instruction Change	Travis	
🔲 Ap	pproved	1.3 Cut	Instruction Change	Travis	
🔲 De	enied	1.4 Strip	Instruction Change	Travis	
🔽 Pe	ending	2.1 Connect	Canvas Instruction Modified	Travis	
Pe	ending	2.4 Attach	Canvas Instruction Modified	Travis	
E Pe	ending	2.5 Other	Support File Added	Travis	
E Pe	ending	2.5 Other	Support File Deleted	Travis	
E Pe	ending	3.1 Mold USB End	Instruction Change	Travis	
E Pe	ending	3A.1 Test	AutoCommand Added/Modifi	Travis	
Pe	ending	4.2 Package	Instruction Change	Travis	



EWI's are Easily Maintained

With EWI's:

- Latest revision is always used. No risk of failed audit for old revision
- When a product fails and comes back for analysis, know which revision was used to build this product
- No more managing libraries full of instructions and redlined documents.
- Real world example:
 - Fortune 100 Company with each factory location with rooms full of paper WI binders
 - Most WI paper documents contain redlines, stamps, annotations, deletions, etc.
 - Imagine the challenge of managing these binders!





Conclusions – The EWI Paradigm

- Procedures are an extension of the work that is being done a living, evolving element that become a virtual representation of the procedure being completed.
- Supports a two-way flow of information that is captured for complete traceability
- Procedures are dynamic, changing when necessary and displayed in a relevant language & format.... Tailored to the skill level of the operator.
- Procedures are interactive and engaging.
- Procedure maintenance and versioning can be automated so Process Engineers & Managers can focus on their processes and not process "maintenance".

In order to stay competitive in today's evolving global marketplace, manufacturing operations should recognize and embrace the EWI paradigm.



Thank you



